Application No.: 10/554213 Case No.: 57906US004

## **Amendments to the Claims:**

The following Listing of Claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims**

- 21. (Currently amended) A scouring material comprising:
- a three-dimensional non-woven web of entangled fibres bonded to one another at their mutual contact points by a pre-bond resin, wherein a majority greater than 50% by weight of the fibres comprise natural fibres, and the bonded web has a maximum density of 50 kg/m<sup>3</sup>; and
- a plurality of abrasive particles adhered to the fibres of the bonded web by a make-coat resin.
- 22. (Previously presented) The scouring material of claim 21, wherein the bonded web has a maximum density of 30 kg/m<sup>3</sup>.
- 23. (Previously presented) The scouring material of claim 21, wherein the bonded web has a minimum thickness of 5 mm.
- 24. (Previously presented) The scouring material of claim 21, wherein at least 80% by weight of the fibres comprise natural fibres.
- 25. (Previously presented) The scouring material of claim 21, wherein all of the fibres comprise natural fibres.
- 26. (Previously presented) The scouring material of claim 21, wherein the natural fibres are natural vegetable fibres.
- 27. (Previously presented) The scouring material of claim 21, wherein the natural fibres comprise coco, sisal, or hemp fibres, or a combination thereof.

Application No.: 10/554213 Case No.: 57906US004

28. (Previously presented) The scouring material of claim 21, wherein the pre-bond resin is a thermosetting or a thermoplastic resin.

- 29. (Previously presented) The scouring material of claim 21, wherein the pre-bond resin is an epoxy resin or a co-polyamide resin.
- 30. (Previously presented) A The scouring material of claim 21, wherein the make-coat resin is a latex or a phenolic resin.
- 31. (Previously presented) The scouring material of claim 21, wherein the abrasive particles comprise an inorganic material and have an average particle size of about 50 microns.
- 32. (Previously presented) The scouring material of claim 21, wherein the abrasive particles comprise a polymeric material or a natural material.
- 33. (Previously presented) The scouring material of claim 21, wherein the non-woven web is a dry-laid web.
- 34. (Previously presented) The scouring material of claim 21, wherein the scouring material forms a hand-held scouring pad.
- 35 40. (Canceled).